



→ *PRODUCT OVERVIEW*

→ [WWW.JOKEY.COM](http://WWW.JOKEY.COM)



  
**jokey**

OUR PACKAGING SOLUTIONS AT A GLANCE.  
→ *Table of contents.*

ALWAYS THE RIGHT PACKAGING FOR YOUR NEEDS.

Jokey plastic containers protect and transport a wide range of bulk goods – ranging from staple and luxury foods, to animal feed, paint, coatings, adhesives, and construction materials, to chemicals. Our extraordinarily broad programme with its virtually unlimited number of shapes, sizes and configurations is perfectly suited to satisfy the different requirements of fillers and consumers.

The following pages offer you a brief outline of our products – with proven bestsellers and pioneering new additions.



JETB 4



JETS 6



JET 8



JETO 12



JETR 14



JETQ 16



JCT 18



JSL 20



JBT 22



JHL / JG / JFT 24



JET2000 / HRK 26



INDIVIDUAL 28



PACKAGING SOLUTIONS FOR FOOD AND NON-FOOD.  
→ *From the 120-ml pot to the 35-litre bucket.*

JET JOKEY-EURO-TAINER: INTERNATIONALLY  
PROVEN PACKAGING QUALITY.

It is used millions of times per day for hygienic, reliable and cost-effective filling; the Jokey-Euro-Tainer is one of the most widely used plastic containers in the world. The JET series comprises about 700 single- or multi-cavity high-performance moulds and is produced on more than 400 injection moulding machines at 13 Jokey plants worldwide. With our high production capacity, we guarantee you cross-border supply reliability and consistent packaging quality.

FLEXIBLE ALL-ROUNDERS FOR NEARLY  
EVERY APPLICATION AREA.

Whether round, oval or rectangular – Jokey containers combine the highest quality standards with modern design. All buckets, pots and trays are ideally suited for automated filling. They simplify production and logistics while also making them faster and quieter and enabling them to conserve resources better. The material, the numerous details and the comprehensive accessories are always optimally tailored to the specific usage profile – whether it involves hot or cold filling, light or heavy products, solid or liquid packaged goods, or the safe transport of dangerous materials. Versatile Jokey containers are always the perfect fit: they serve as expedient packaging for inexpensive commodities or impart the desired premium image to

high-quality brand name products; available options also include sealed closure or incorporation of a barrier function against oxygen and moisture. The especially practical lid model can be used to combine many volumes.

ATTRACTIVE, CONVENIENT,  
ECO-FRIENDLY. IN A WORD: JOKEY.

Jokey containers can be produced in any desired colour – and they entice shoppers with their sales-boosting decor: In-Mould-Labeling and digital or offset printing ensure powerful branding. Even sophisticated surface textures or alluring scents can be integrated. Convenient features, trust-inspiring tamper-evident seals and re-closable lids offer the consumer impressive added value. Once collected, recycled and returned to the resource cycle, the containers make an important contribution to maintaining the environment.



# JETB

## → Round Box

### SMALL BOX WITH BIG SALES TALENT.

The JETB is ideally suited for delicacies such as fine foods, ice cream or sweets. Available in any colour, its transparent variant holds the greatest seductive potential: it offers an unobstructed view of the delicious contents. The JETB has also proven to be a handy, high-selling package for bulk products in the chemical and construction chemicals sectors. And once the contents have been used up, it often begins its second career as a storage container.

### FEATURES

#### > Closure

- Reusable closure
- Sealing lid

#### > ● Hermetic sealing

#### > ● Tamper-evident seal

#### > ● Space-saving nested stacking

#### > Handle

- Plastic handle
- Plastic handle, coloured

#### > ● Colouring

#### > Decoration

- IML
- Offset

#### > Oxygen and water vapour barrier

- Full barrier
- Jacket barrier

#### > Weight categories

- Light
- Medium
- Heavy

#### > ○ microwavable

#### > ● Food-safe

#### > Material

- PP
- Biopolymer
- > ● Optimal material recycling

#### > Accessories

- Wet wipes dispenser
- Product removal

#### > ● Optimal emptying

● Option available for all models ○ Option not available for all models

Please observe our »technical guidelines« and request detailed »Product specifications« by e-mail from: sales@jokey.com.



JETB 120

ISO volume	120 ml
Upper ø/format	68.5 mm
Height	53 mm



JETB 155

ISO volume	155 ml
Upper ø/format	68.5 mm
Height	68.5 mm



JETB 180

ISO volume	180 ml
Upper ø/format	94.5 mm
Height	45 mm



JETB 190

ISO volume	190 ml
Upper ø/format	76 mm
Height	67 mm



JETB 210

ISO volume	210 ml
Upper ø/format	94.5 mm
Height	48.5 mm



JETB 280

ISO volume	280 ml
Upper ø/format	94.5 mm
Height	61.5 mm



JETB 365

ISO volume	360 ml
Upper ø/format	94 mm
Height	81 mm



JETB 520

ISO volume	520 ml
Upper ø/format	94.5 mm
Height	114.5 mm



JETB 550

ISO volume	560 ml
Upper ø/format	118 mm
Height	80 mm



JETB 560

ISO volume	570 ml
Upper ø/format	132 mm
Height	63.5 mm



JETB 600

ISO volume	600 ml
Upper ø/format	109 mm
Height	102.5 mm



JETB 850

ISO volume	880 ml
Upper ø/format	118 mm
Height	125 mm



JETB 860

ISO volume	950 ml
Upper ø/format	132 mm
Height	104.5 mm



JETB 1000

ISO volume	1050 ml
Upper ø/format	118 mm
Height	145 mm



JETB 10

ISO volume	1090 ml
Upper ø/format	146 mm
Height	93 mm



JETB 11

ISO volume	1100 ml
Upper ø/format	132 mm
Height	122 mm



JETB 12

ISO volume	1180 ml
Upper ø/format	132 mm
Height	132 mm



JETB 15

ISO volume	1580 ml
Upper ø/format	146 mm
Height	139 mm



# JETS

→ Tray

## THE PRACTICAL ONE.

The transparent and handy JETS is the ideal candidate for all fresh products. Its re-closable lid not only extends shelf life, it also offers a secondary function as a storage container. The JETS serves the chemical industry as a reliable all-purpose container which satisfies the most demanding requirements.

## FEATURES

### > Closure

- Reusable closure
- Sealing lid
- > ● Hermetic sealing
- > ● Tamper-evident seal
- > ● Space-saving nested stacking
- > ● Colouring
- > Decoration
  - IML
- > Oxygen and water vapour barrier
  - Jacket barrier

### > Weight categories

- Light
- Medium
- Heavy
- > ○ microwavable
- > ● Food-safe
- > Material
  - PP
- > ● Optimal material recycling
- > ● Optimal emptying



JETS 250



JETS 400



JETS 500



JETS 580



JETS 900

ISO volume	250 ml	415 ml	530 ml	580 ml	920 ml
Upper ø/format	85.5 x 110.5 mm	106.5 x 106.5 mm	106.5 x 106.5 mm	140 x 100 mm	196 x 139.5 mm
Height	37.5 mm	61 mm	77 mm	72.5 mm	65.5 mm



JETS 10



JETS 11



JETS 12



JETS 14



JETS 23

ISO volume	1100 ml	1140 ml	1150 ml	1450 ml	2.5l
Upper ø/format	129 x 129 mm	115 x 175 mm	128.5 x 191.5 mm	164 x 144 mm	260 x 238 mm
Height	110 mm	89 mm	73 mm	97.5 mm	61 mm



JETS 24



JETS 30



JETS 34



JETS 50



JETS 53

ISO volume	2.4l	3.2l	3.4l	5.8l	5.4l
Upper ø/format	198 x 157.5 mm	345 x 250 mm	260 x 238 mm	345 x 250 mm	260.5 x 238.5 mm
Height	105 mm	62 mm	84 mm	103 mm	127 mm



● Option available for all models ○ Option not available for all models

Please observe our »technical guidelines« and request detailed »Product specifications« by e-mail from: sales@jokey.com.

# JET

## → Round bucket

### THE ALL-ROUNDER.

The Jokey-Euro-Tainer is the most widely used container for liquid or solid packaged goods – whether it involves foodstuffs or bulk products in the chemical and construction chemicals sectors. This multi-talented container offers an impressive range of options: most models can be equipped with all of the features. And the JET is versatile: with different weight categories, it adapts to the requirements of the packaged goods.

### FEATURES

- > Closure
  - Reusable closure
  - Sealing lid
- > ○ Easy Opening
- > ● Hermetic sealing
- > ● Tamper-evident seal
- > ● Space-saving nested stacking
- > Handle
  - Metal
  - Roller grip
  - Plastic handle
- > ● Colouring
- > Decoration
  - IML
  - Digital
  - Offset
- > Oxygen and water vapour barrier
  - Full barrier
  - Jacket barrier
- > Weight categories
  - Light
  - Medium
  - Heavy
- > ○ Two-component packaging
- > ● Food-safe
- > ○ Shaker-compatibility
- > Material
  - PP
  - Secondary raw materials
  - Biopolymer
- > ● Optimal material recycling
- > Accessories
  - Spout
  - Wet wipes dispenser
  - Degassing valve
  - Product removal
- > ● Optimal emptying

● Option available for all models ○ Option not available for all models

Please observe our »technical guidelines« and request detailed »Product specifications« by e-mail from: [sales@jokey.com](mailto:sales@jokey.com).







**JET 10**

ISO volume	1.0l
Upper ø/format	200 mm
Height	54 mm



**JET 22**

ISO volume	2.2l
Upper ø/format	201.5 mm
Height	105 mm



**JET 23**

ISO volume	2.3l
Upper ø/format	175 mm
Height	133 mm



**JET 24**

ISO volume	2.6l
Upper ø/format	185.5 mm
Height	135 mm



**JET 25**

ISO volume	2.6l
Upper ø/format	201.5 mm
Height	124 mm



**JET 26**

ISO volume	2.7l
Upper ø/format	175 mm
Height	157 mm



**JET 28**

ISO volume	2.8l
Upper ø/format	193 mm
Height	148 mm



**JET 30**

ISO volume	3.0l
Upper ø/format	201.5 mm
Height	139 mm



**JET 33**

ISO volume	3.1l
Upper ø/format	185.5 mm
Height	162 mm



**JET 34**

ISO volume	3.4l
Upper ø/format	201.5 mm
Height	155 mm



**JET 35**

ISO volume	3.6l
Upper ø/format	227 mm
Height	124 mm



**JET 38**

ISO volume	3.9l
Upper ø/format	201.5 mm
Height	177 mm



**JET 44**

ISO volume	4.6l
Upper ø/format	227 mm
Height	157 mm



**JET 50**

ISO volume	5.0l
Upper ø/format	225 mm
Height	173 mm



**JET 53**

ISO volume	5.4l
Upper ø/format	227 mm
Height	181 mm



**JET 54**

ISO volume	5.4l
Upper ø/format	240 mm
Height	156 mm



**JET 56**

ISO volume	5.7l
Upper ø/format	227 mm
Height	195 mm



**JET 58**

ISO volume	5.9l
Upper ø/format	240 mm
Height	172 mm



**JET 62**

ISO volume	6.2l
Upper ø/format	227 mm
Height	212 mm



**JET 70**

ISO volume	7.4l
Upper ø/format	270 mm
Height	188 mm



**JET 86**

ISO volume	8.8l
Upper ø/format	270 mm
Height	222 mm



**JET 103**

ISO volume	10.6l
Upper ø/format	270 mm
Height	255 mm



**JET 107**

ISO volume	10.8l
Upper ø/format	270 mm
Height	264 mm



**JET 108**

ISO volume	11.1l
Upper ø/format	278 mm
Height	256 mm



**JET 110**

ISO volume	11.5l
Upper ø/format	294 mm
Height	223 mm



**JET 112**

ISO volume	11.6l
Upper ø/format	268 mm
Height	285 mm



**JET 125**

ISO volume	13.2l
Upper ø/format	294 mm
Height	256 mm



**JET 150**

ISO volume	15.9 ml
Upper ø/format	293 mm
Height	313 mm



**JET 160**

ISO volume	16.1l
Upper ø/format	327 mm
Height	249 mm



**JET 175**

ISO volume	17.7l
Upper ø/format	300 mm
Height	326 mm



**JET 180**

ISO volume	17.7l
Upper ø/format	327 mm
Height	275 mm



**JET 200**

ISO volume	20.2l
Upper ø/format	327 mm
Height	313 mm



**JET 210**

ISO volume	21.3l
Upper ø/format	327 mm
Height	332 mm



**JET 230**

ISO volume	22.0l
Upper ø/format	380 mm
Height	272 mm



**JET 260**

ISO volume	27.6l
Upper ø/format	380 mm
Height	326 mm



**JET 275**

ISO volume	27.5l
Upper ø/format	340 mm
Height	400 mm



**JET 300**

ISO volume	31.5l
Upper ø/format	380 mm
Height	371 mm



**JET 320**

ISO volume	32.9l
Upper ø/format	380 mm
Height	389 mm



# JETO

## → Oval bucket

### THE CONSTRUCTION PROFESSIONAL.

In crafts this oval bucket has already proven its value millions of times over as a practical container for paint, adhesives and construction chemicals. And it's no surprise: the contents can be conveniently removed with a roller or a spatular and the ergonomic design makes it easy to carry. And the oval shaped package also shows its strength at the PoS: the wide face of the elongated side serves as a powerful advertising medium to promote sales. And last but not least, the JETO saves money: whether for light or heavy packaged goods – there is a perfect weight category for every product.

### FEATURES

- > Closure
  - Reusable closure
  - Easy Opening
  - Tamper-evident seal
  - Space-saving nested stacking
- > Handle
  - Metal
  - Roller grip
  - Plastic handle
- > Colouring
- > Decoration
  - IML
  - Digital
  - Offset
- > Weight categories
  - Light
  - Medium
  - Heavy
- Food-safe
- Shaker-compatibility
- > Material
  - PP
  - Secondary raw materials
- > Optimal material recycling
- > Accessories
  - Spout
  - Wet wipes dispenser
  - Degassing valve
- > Optimal emptying

● Option available for all models ○ Option not available for all models  
Please observe our »technical guidelines« and request detailed »Product specifications« by e-mail from: sales@jokey.com.



JETO 25



JETO 35



JETO 45



JETO 55



JETO 86

ISO volume	2,3l	3,6l	4,4l	5,8l	8,6l
Upper ø/format	200 x 145 mm	239 x 179 mm	239 x 179 mm	277 x 198 mm	308 x 238 mm
Height	139 mm	160 mm	184 mm	186 mm	193 mm



JETO 110



JETO 125



JETO 150



JETO 155



JETO 165

ISO volume	11,3l	12,8l	16,4l	15,9l	17,1l
Upper ø/format	345 x 265 mm	345 x 265 mm	391 x 301 mm	380 x 299 mm	380 x 299 mm
Height	218 mm	240 mm	230 mm	251 mm	276 mm



JETO 170



JETO 180



JETO 185

ISO volume	17,2l	19,1l	18,9l
Upper ø/format	391 x 301 mm	391 x 301 mm	380 x 299 mm
Height	242 mm	271 mm	299 mm





# JETR

## → Rectangular bucket

### FOUR CORNERS – AND ADVANTAGES ALL AROUND.

The JETR is rectangular and is a real eye-catcher on the shelf, because its wide front face is an ideal advertising medium. Numerous options such as the transparent promotion lid for give-aways also boost sales. The JETR offers unmistakable advantages in terms of practical function, as well: the four corners make optimal use of stacking space on the pallet, and the clever Quick Pack system permits easy removal in smaller portions.

### FEATURES

- > Closure
  - Reusable closure
  - Sealing lid
- > ○ Easy Opening
- > ○ Hermetic sealing
- > ● Tamper-evident seal
- > ● Space-saving nested stacking
- > Handle
  - Metal
  - Roller grip
  - Plastic handle
  - Plastic handle, coloured
- > ● Colouring
- > Decoration
  - IML
  - Digital
  - Offset
- > Oxygen and water vapour barrier
  - Jacket barrier

- > Weight categories
  - Medium
- > ○ Two-component packaging
- > ● Food-safe
- > ○ Shaker-compatibility
- > Material
  - PP
  - Secondary raw materials
  - Biopolymer
- > ● Optimal material recycling
- > Accessories
  - Deeper Lid
  - Spout
  - Wet wipes dispenser
  - Degassing valve
  - Promotion-Cover
  - Quick-Pack-Lid
- > ● Optimal emptying

● Option available for all models ○ Option not available for all models  
Please observe our »technical guidelines« and request detailed »Product specifications« by e-mail from: sales@jokey.com.



JETR 30



JETR 35



JETR 42



JETR 50



JETR 57

ISO volume	3.1l	3.6l	4.4l	5.6l	5.8l
Upper ø/format	251 x 169 mm	286 x 198 mm	286 x 198 mm	250 x 196 mm	286 x 198 mm
Height	115 mm	101 mm	120 mm	172 mm	151 mm



JETR 62



JETR 80



JETR 110



JETR 112



JETR 125

ISO volume	6.4l	8.3l	10.9l	11.2l	12.1l
Upper ø/format	286 x 198 mm	286 x 198 mm	286 x 198 mm	292 x 200 mm	372 x 240 mm
Height	161 mm	211 mm	266 mm	251 mm	202 mm



JETR 160

ISO volume	16.6l
Upper ø/format	372 x 240 mm
Height	266 mm



# JETQ

→ *Square bucket*



JETQ 30



JETQ 35



JETQ 50



JETQ 80



JETQ 105

ISO volume	3.0l	3.5l	5.4l	8.7l	10.7l
Upper ø/format	199 x 199 mm	199 x 199 mm	199 x 199 mm	290 x 249 mm	290 x 249 mm
Height	127 mm	141.5 mm	202 mm	180 mm	216 mm



JETQ 120



JETQ 350

ISO volume	11.9l	35.4l
Upper ø/format	290 x 249 mm	398 x 398mm
Height	243 mm	367 mm

## QUADRATIC QUALITY.

The JETQ is a veritable fashion statement: the unusual square shape alone attracts attention. Its flat face forms the perfect advertising surface, which is never obscured by the close fitting, flat plastic handle. The JETQ is compact, lightweight and exceptionally well-suited for stacking. It makes optimum use of shipping containers and shelves. Thanks to its intelligent construction, it can be completely emptied of its contents. And last but not least, the JETQ offers the right weight category for every bulk product.

## FEATURES

- > Closure
  - Reusable closure
  - Sealing lid
- > ○ Easy Opening
- > ○ Hermetic sealing
- > ● Tamper-evident seal
- > ● Space-saving nested stacking
- > Handle
  - Plastic handle
  - Plastic handle, coloured
- > ● Colouring
- > Decoration
  - IML
  - Digital
  - Offset
- > Oxygen and water vapour barrier
  - Full barrier
  - Jacket barrier
- > Weight categories
  - Medium
  - Heavy
- > ○ Two-component packaging
- > ● Food-safe
- > Material
  - PP
  - Secondary raw materials
  - Biopolymer
- > ● Optimal material recycling
- > Accessories
  - Spout
  - Wet wipes dispenser
  - Degassing valve
- > ● Optimal emptying



● Option available for all models ○ Option not available for all models  
Please observe our »technical guidelines« and request detailed »Product specifications« by e-mail from: sales@jokey.com.



JCT  
→ Jokey-Coating-Tainer

THE STACKABLE CONTAINER.

Where containers made of conventional packaging previously had to be supplied and stored individually, one on top of the other, now there is room for up to three as many Jokey-Coating-Tainers: these plastic pots can be nested inside one another – a stackable configuration which lowers your shipping and storage costs by up to 50 per cent. The filling machine can unstack and fill the JCT rapidly and easily, and then seal it reliably. And this smart pot is also smart looking: handles, rings and lids of different colours can be combined. Neither rust nor dents nor scratches can harm the packaged product or the appearance on the sales shelf. With so many outstanding features, it's no wonder that the JCT earned the »iF product design award« in 2008.

FEATURES

- > Closure
  - Reusable closure
  - Sealing lid
- > ○ Hermetic sealing
- > ● Tamper-evident seal
- > ● Space-saving nested stacking
- > Handle
  - Plastic handle
  - Plastic handle, coloured
- > ● Colouring
- > Decoration
  - IML
- > Oxygen and water vapour barrier
  - Jacket barrier
- > Weight categories
  - Medium
- > ● Food-safe
- > ● Shaker-compatibility
- > Material
  - PP
  - Secondary raw materials
  - Biopolymer
- > ● Optimal material recycling
- > ● Optimal emptying

● Option available for all models ○ Option not available for all models  
Please observe our »technical guidelines« and request detailed »Product specifications« by e-mail from: sales@jokey.com.



	JCT 750	JCT 10	JCT 25	JCT 30	JCT 60
ISO volume	0.8 l	1.2 l	2.7 l	3.0 l	6.5 l
Upper ø/format	100 mm	116.5 mm	159 mm	159 mm	196.5 mm
Height	132 mm	134 mm	163 mm	182 mm	243.5 mm





JSL  
→ Jokey-Slim-Line

LIGHT AS A FEATHER.

In order to conserve natural resources which are in short supply, we reduce the wall thickness if the packaged product and the logistics processes permit it. Fitted with the JET standard lid, the Slim Line offers an inexpensive packaging alternative for all lightweight products. The especially eco-friendly JSL series can also be produced from secondary raw materials or bio-polymers for non-food applications.

FEATURES

> Closure

- Reusable closure
- Sealing lid

> • Hermetic sealing

> • Tamper-evident seal

> • Space-saving nested stacking

> Handle

- Plastic handle

> • Colouring

> Decoration

- IML
- Digital
- Offset

> Oxygen and water vapour barrier

- Jacket barrier

> Weight categories

- Light

> • Food-safe

> Material

- PP
- Secondary raw materials
- Biopolymer

> • Optimal material recycling

> Accessories

- Spout
- Wet wipes dispenser
- Degassing valve

> • Optimal emptying



JSL 600



JSL 850



JSL 12



JSL 20



JSL 24

ISO volume	600 ml	880 ml	1.18l	2.08l	2.41l
Upper ø/format	109 mm	118 mm	132 mm	155.6 mm	180 mm
Height	102 mm	125 mm	132 mm	160.6 mm	142.2 mm



JSL 30



JSL 40



JSL 56



JSL 103



JSL 107

ISO volume	3.0l	4.0l	5.5l	10.6l	10.8l
Upper ø/format	201.5 mm	225.5 mm	225.5 mm	270 mm	270 mm
Height	139 mm	147 mm	196 mm	255 mm	264 mm



JSL 110



JSL 125

ISO volume	11.5l	13.2l
Upper ø/format	294 mm	294 mm
Height	223 mm	257 mm



• Option available for all models ○ Option not available for all models

Please observe our »technical guidelines« and request detailed »Product specifications« by e-mail from: sales@jokey.com.

JBT  
→ Jokey-Barrier-Tainer



OXYGEN AND WATER VAPOUR NEED NOT APPLY.

This bucket brooks no compromise: the new Jokey-Barrier-Tainer with the EVOH barrier effectively blocks out oxygen and moisture – and that extends shelf life and preserves flavour. Of course the JBT also offers all of the other advantages of a Jokey-Euro-Tainer, these containers are flexible, unbreakable, stackable (they can be nested inside one another to save space), fill quietly, and can be decorated very attractively.

FEATURES

- > Closure
  - Reusable closure
  - Sealing lid
- > • Hermetic sealing
- > • Tamper-evident seal
- > • Space-saving nested stacking
- > Handle
  - Plastic handle
- > • Colouring
- > Decoration
  - IML
- > Oxygen and water vapour barrier
  - Full barrier
  - Jacket barrier
- > Weight categories
  - Light
- > • Food-safe
- > Material
  - PP
  - Biopolymer
- > • Optimal material recycling
- > • Optimal emptying

• Option available for all models ○ Option not available for all models  
Please observe our »technical guidelines« and request detailed »Product specifications« by e-mail from: sales@jokey.com.



JBT 15

ISO volume	1.56 l
Upper ø/format	140 mm
Height	138.5 mm

Further sizes  
in planing

JHL / JG / JFT  
 → Jokey-Heavy-Line / Jokey-Gallon / Jokey-Feed-Tainer

SPECIALISTS FOR TOUGH JOBS.

Reliable and sturdy, the robust Jokey heavy line does the heavy lifting for you. For solid protection against harmful environmental effects, the Jokey Gallon is ideally suited for packaging chemicals and construction chemical products. And the practical giant is always easy to open: its easy opening seal is extremely convenient. The Jokey-Feed-Tainer takes care of two jobs at the same time: it serves both as a transport container and as an animal feed bucket.

FEATURES

- > Closure
  - Reusable closure
- > ○ Easy Opening
- > ● Tamper-evident seal
- > ● Space-saving nested stacking
- > Handle
  - Metal
  - Roller grip
  - Plastic handle
- > ● Colouring
- > Decoration
  - Digital
  - Offset
- > Weight categories
  - Heavy
- > ● Food-safe
- > ○ Shaker-compatibility
- > Material
  - PP
  - Secondary raw materials
  - Biopolymer
- > ● Optimal material recycling
- > Accessories
  - Spout
  - Wet wipes dispenser
  - Degassing valve
- > ● Optimal emptying



JHL 45



JHL 118



JHL 170

ISO volume	4.6 l	12.1 l	17.0 l
Upper ø/format	201 mm	293 mm	300 mm
Height	202 mm	241 mm	325 mm



J5G

ISO volume	19.7 l
Upper ø/format	314 mm
Height	371 mm



JFT 160



JFT 180

ISO volume	15.6 l	18 l
Upper ø/format	388 mm	388 mm
Height	238.5 mm	258 mm



● Option available for all models ○ Option not available for all models

Please observe our »technical guidelines« and request detailed »Product specifications« by e-mail from: sales@jokey.com.



JET 2000 / HRK  
→ Jokey-UN-Series



JET 600 UN



JET 1300 UN



JET 1800 UN



JET 2000 UN

ISO volume	6.2l	12.6l	18.3l	21.9l
Upper ø/format	240 mm	321 mm	321 mm	321 mm
Height	215 mm	228 mm	332 mm	383 mm



HRK 260 UN



HRK 300 UN

ISO volume	26.9l	30.9l
Upper ø/format	367 mm	367 mm
Height	347 mm	400 mm

DANGER AVERTED.

The Jokey UN series conforms to the highest technical and climatic specifications. Substances declared as dangerous goods and materials such as chemicals, hygiene products, mineral oils, medical devices and much more can be packaged and transported safely in these containers. The series is UN-approved for dangerous goods up to packaging group II.

FEATURES

- > Closure
  - Safety closure
  - Injection-moulded seal
- > ● Tamper-evident seal
- > ● Space-saving nested stacking
- > Handle
  - Metal
  - Roller grip
  - Plastic handle
- > ● Colouring
- > Decoration
  - Digital
  - Offset
- > Weight categories
  - Heavy
- > ● UN approval
- > ○ Food-safe
- > ○ Shaker-compatibility
- > Material
  - PP
  - Secondary raw materials
  - Biopolymer
- > ● Optimal material recycling
- > Accessories
  - Spout
  - Wet wipes dispenser
  - Degassing valve
- > ● Optimal emptying



● Option available for all models ○ Option not available for all models  
Please observe our »technical guidelines« and request detailed »Product specifications« by e-mail from: sales@jokey.com.

## JOKEY-INDIVIDUAL

→ *A container perfectly tailored to your expectations.*

### JOKEY – YOUR STRONG PARTNER FOR CUSTOM MOULD PROJECTS.

It highlights the uniqueness of your brand: individual packaging. Its innovative shape or striking details provide you with major competitive advantages. Experienced, creative and extremely technically competent, we are the ideal partner to develop your customised plastic packaging.

### A LARGE TEAM OF SPECIALISTS.

Expertise, precision, passion – Jokey unites all of these success factors for an excellent packaging development. In a proven, structured development process, the 50-person Jokey-Individual team of product designers, technicians and key account managers carry your packaging wish reliably from the initial proposal straight through to market readiness.

### NOTHING IS IMPOSSIBLE.

Whether your bulk product requires a customised format or you seek an innovative design to strengthen your product brand: Jokey always offers you the latest in packaging technology with regard to form, function, closure methods, material properties and decoration. We design and produce packaging from all injectable polymers – from PP and PE to PS and ABS.

### OUR OWN TOOLING AND STATE-OF-THE-ART MANUFACTURING TECHNOLOGY.

We have everything it takes to develop your individual packaging: product designers, technicians and key account managers advise you on form, design and decoration. Based on your specifications, we present you with a detailed development concept, draft a 3D visualisation, and continue refining the design until it is ready for tooling fabrication.

A company of the Jokey Group produces the tooling to the highest technical standards. In order to ensure 100% production reliability, equivalent capabilities are available in the mould-making department of each manufacturing site. Our technical support group assists you during the test run on your filling and assembly line. And it also continues to provide you with support whenever you need it.



**Jokey Plastik Sohland GmbH**

Industriestraße 4  
D - 02689 Sohland / Spree  
Germany  
Fon +49 (0) 35936 36 - 0  
Fax +49 (0) 35936 36 - 222

**Joktal S.A.R.L.**

Zi Arbal BP. 07  
DZ - 31140 Oued-Tlélat Oran  
Algeria  
Fon +213 (0) 41 436600  
Fax +213 (0) 41 437546

**Jokey France S.A.**

Zone Industrielle No 1  
FR- 62113 Labourse  
France  
Fon +33 (0) 321 644 - 970  
Fax +33 (0) 321 644 - 971

**Jokey Plastik Mogilew OOO**

Krupskaja 226  
BY - 212030 Mogilew  
Belarus  
Fon +375 (0) 222 319679  
Fax +375 (0) 222 320111

**Jokey Plastik Blachownia Sp. z o.o.**

ul. Szkolna 15  
PL - 47-225 Kędzierzyn-Koźle  
Poland  
Fon +48(0)77 4060 - 900  
Fax +48(0)77 4060 - 902

**Jokey Plastics North America Inc.**

150 Mitchell Street  
CA - Goderich N7A 4C6 Ontario  
Canada  
Fon +1 519 524-9890  
Fax +1 519 524-6114

**Jokey Plastik Praha CZ s.r.o.**

Nový Dvůr 93  
CZ - 25087 Mochov  
Czech Republic  
Fon +420 (0) 326 999911  
Fax +420 (0) 326 993228

**Jokey Egypt for Plastic Packaging Industries**

Part No. 45/46 Badr City  
ET - Cairo  
Fon +20 22864 5591  
Fax +20 22864 5595  
Egypt

**Jokey Plastik Istanbul San.ve Tic. A. S.**

Dilovasi Organize Sanayi Bölgesi  
5. Kısım D-5007 Sok. No: 2  
TR - 41455 Dilovasi / Kocaeli  
Turkey  
Fon +90 (0) 262 6485 - 700  
Fax +90 (0) 262 7547 - 438

**Jokey BG d.o.o.**

Industrijska zona b.b.  
RS-22330 Nova Pazova  
Serbia  
Fon +381 22 323 467  
Fax +381 22 321 498

[www.jokey.com](http://www.jokey.com)

**HQ:**

**JOKEY PLASTIK WIPPERFÜRTH GMBH**  
August-Mittelsten-Scheid-Straße 23  
D-51688 Wipperfürth · Germany  
Fon +49(0)2267 685 - 0 · Fax +49(0)2267 685 - 1133  
[www.jokey.com](http://www.jokey.com) · [info@jokey.com](mailto:info@jokey.com)

**JOKEY PLASTIK GUMMERSBACH GMBH**

Gutenbergstraße 9  
D - 51645 Gummersbach · Germany  
Fon +49 (0) 2261 544 - 0 · Fax +49 (0) 2261 544 - 1344  
[www.jokey.com](http://www.jokey.com) · [info@jokey.com](mailto:info@jokey.com)